

SECTION	:1 OF 1
PANEL TYPE	:P5
CATALOG NUMBER	:P5E75HM500ABS
ENCLOSURE	:3R Outdoor
SYSTEM VOLTAGE	:480Y/277 3Ø 4W Wye AC
IR RATING	:65 K AIC
MAIN BUS	:800 A
BUS MATERIAL	:Aluminum Tin
FEED	:Bottom
MOUNTING	:Surface
SE LABEL	:No
SERIES RATED	:No
CONDUIT AREA	:36.0 x 12.25
*INDICATES POSITIONING NUMBERS TO HELP WITH THE MANUAL PLACEMENT OF BREAKERS ON THE MECHANICAL VIEW	

PANELBOARD COMPONENTS



Branches :
 4 - 60A /3P-LGB
 1-3-Pole, 1% Accuracy Meter
 1-(3) 125 Amp CTs
 3 - GB PROVISION
 1 - 125A /3P-LGB
 1-3-Pole, 1% Accuracy Meter
 1-(3) 125 Amp CTs
 1 - FD PROVISION
 1 - 175A /3P-HFXDB
 1-3-Pole, 1% Accuracy Meter
 1-(3) 250 Amp CTs

Options :
1-Std S&A/Gnd Connector
1-Card Holder-Std Plastic Sleeve
1-No Front
1-NP Location - Trim
1-Certification - UL
1-21 Position Master Rack
1-SEM3 Controller
1-SEM3 Panelboard

1		0	hulctx00c	11-18-2015	AKERS-SIEMENS JOB																																																									
NO.		REVISIONS	DRAWN BY	DATE	<table border="1"> <tr> <td colspan="2">PO</td> <td colspan="2">Cust:</td> </tr> <tr> <td colspan="2">M</td> <td colspan="2">CODALE ELECTRIC SUPPLY INC</td> </tr> <tr> <td colspan="2">CONTR</td> <td colspan="2">CONRT</td> </tr> <tr> <td colspan="2">V</td> <td colspan="2">=</td> </tr> <tr> <td colspan="2">TIC</td> <td>CT</td> <td>END LOG</td> </tr> <tr> <td colspan="2">=</td> <td>hulctx00c</td> <td>SERIALNUMBER</td> </tr> <tr> <td colspan="2">DATE</td> <td colspan="2">MAIN PANEL BOARD NEMA 3R</td> </tr> <tr> <td colspan="2">=</td> <td>11-18-2015</td> <td></td> </tr> <tr> <td colspan="2"></td> <td colspan="2">DWG NO</td> </tr> <tr> <td colspan="2"></td> <td colspan="2">hulctx00c 11181500_00_00_000-20000-1</td> </tr> <tr> <td colspan="2"></td> <td colspan="2">Siemens Industry, Inc.</td> </tr> <tr> <td colspan="2"></td> <td colspan="2">Morgans, Georgia</td> </tr> <tr> <td colspan="2"></td> <td>APP</td> <td>INTL LOG</td> </tr> <tr> <td colspan="2"></td> <td>DWG FILE</td> <td>SHEET 1 of 5</td> </tr> </table>		PO		Cust:		M		CODALE ELECTRIC SUPPLY INC		CONTR		CONRT		V		=		TIC		CT	END LOG	=		hulctx00c	SERIALNUMBER	DATE		MAIN PANEL BOARD NEMA 3R		=		11-18-2015				DWG NO				hulctx00c 11181500_00_00_000-20000-1				Siemens Industry, Inc.				Morgans, Georgia				APP	INTL LOG			DWG FILE	SHEET 1 of 5
PO		Cust:																																																												
M		CODALE ELECTRIC SUPPLY INC																																																												
CONTR		CONRT																																																												
V		=																																																												
TIC		CT	END LOG																																																											
=		hulctx00c	SERIALNUMBER																																																											
DATE		MAIN PANEL BOARD NEMA 3R																																																												
=		11-18-2015																																																												
		DWG NO																																																												
		hulctx00c 11181500_00_00_000-20000-1																																																												
		Siemens Industry, Inc.																																																												
		Morgans, Georgia																																																												
		APP	INTL LOG																																																											
		DWG FILE	SHEET 1 of 5																																																											