WJ-861X RECEIVER

APPENDIX U

MISCELLANEOUS WJ-861X OPTIONS

Copyright © Watkins-Johnson Company 1990 All Rights Reserved

WATKINS-JOHNSON COMPANY 700 QUINCE ORCHARD ROAD GAITHERSBURG, MARYLAND 20878-1794

TABLE OF CONTENTS

APPENDIX U

Paragraph		Page
U-1	WJ-861XB/FP Fan Attachment Option	U-1
U-2	WJ-861XB/RCS Rotating Chassis Slides Option	
U-3	WJ-861XB/SCS Straight Chassis Slides Option	U-1

APPENDIX U

MISCELLANEOUS WJ-861X OPTIONS

U.1 WJ-861XB/FP Fan Attachment Option

The WJ-861XB/FP Fan Attachment Option provides cooling for the receiver in installations where a rack blower is not possible. This option contains two fans which blow air directly onto the receiver's rear panel. This option attaches to the rear of the receiver and adds three inches to the overall length.

U.2 WJ-861XB/RCS Rotating Chassis Slides Option

The WJ-861XB/RCS Rotating Chassis Slides Option contains slides that attach to the sides of the receiver. This option permits the receiver to slide out from the equipment rack and be tilted up or down.

U.3 WJ-861XB/SCS Straight Chassis Slides Option

The WJ-861XB/SCS Straight Chassis Slides Option contains slides that attach to the sides of the receiver. This option permits the receiver to slide straight out from the equipment rack.